



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/540,320

06/21/2005

Karl Kerzog

02894-717US1 / 06732

1312

26161 7590 04/01/2008

FISH & RICHARDSON PC
P.O. BOX 1022
MINNEAPOLIS, MN 55440-1022

EXAMINER

ANGLO, LHEIREN MAE ACOSTA

ART UNIT

PAPER NUMBER

2832

MAIL DATE

DELIVERY MODE

04/01/2008

PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No. 10/540,320	Applicant(s) KERZOG ET AL.	
	Examiner LHEIREN MAE A. ANGLO	Art Unit 2832	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 February 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1,3,4 and 6-38 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,4,7-10,12-16,18-23,27-35,37 and 38 is/are rejected.
- 7) ☒ Claim(s) 3,6,11,17,24-26 and 36 is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☒ The drawing(s) filed on 21 June 2005 is/are: a) ☒ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Objections

Claims 16,20 and 21 are objected to because of the following informalities: claims 16,20 and 21 are dependent on cancelled claim 2. Appropriate correction is required.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1,4,7-10,12-16,18-21 and 27-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takano et al. [Takano hereinafter, US 5,382,767] in view of Katsumi [US 6,369,341].

In regard to claim 1, Takano teaches in [Figs. 1-3] an electrical appliance housing, comprising: a housing body [P,20,26] defining a mechanism-activation aperture; a soft plastic membrane [24] configured to seal the aperture; a base [16] bonded to the membrane; an actuating button [18] fastened to the base, and at least one elastic bar [16c] securing the base to the housing body, the at least one elastic bar lying on an inner side of the membrane. Takano does not teach a hard plastic housing body and base. Katsumi teaches in [Fig. 6] a hard plastic housing body [1] and base [2]. It would have been

obvious to one of ordinary skill in the art at the time of the invention to provide a hard plastic housing body and base in order to protect the switch components.

In regard to claim 4, Takano teaches in [Fig. 2] that the membrane defines a recess [lower surface of 24a], at least an outer side [16d] of the base penetrating the membrane through the recess.

In regard to claim 7, Takano teaches in [Fig. 2] that the actuating button and the base are joined together.

In regard to claim 8, Takano teaches in [Figs. 2 and 9] that the base defines a blind-end bore configured to receive a neck [18f] of the actuating button.

In regard to claim 9, Takano teaches the limitations of claim 7. Takano does not teach that the actuating button exhibits material homogeneity with the base. Katsumi teaches in [Figs. 4 and 6] that the actuating button [20] exhibits material homogeneity with the base [2]. It would have been obvious to one of ordinary skill in the art at the time of the invention to also provide both a plastic button and a plastic base for easier manufacturing. Takano and Katsumi teach the claimed invention except for integrally molding the button onto the base. It would have been obvious to one of ordinary skill in the art at the time the invention was made to integrally mold the button to the base, since it has been held that forming in one piece an article which has formerly been formed in two pieces and put together involves only routine skill in the art. *Howard v. Detroit Stove Works*, 150 U.S. 164 (1893).

In regard to claim 10, Takano teaches in [Fig. 2] that the membrane comprises an edge section [24a] that encloses the base and projects beyond the base towards an outer side of the electrical appliance housing.

In regard to claim 12, Takano teaches in [Fig. 2] that the edge section of the membrane forms a boundary for a recess that axially adjoins the base and is configured to receive a section of the actuating button.

In regard to claim 13, Takano teaches in [Fig. 2] that the base comprises a radial projection [16d].

In regard to claim 14, Takano teaches in [Fig. 2] that the housing body is bonded to the membrane.

In regard to claim 15, Takano teaches in [Fig. 2] that at least one protruding membrane support member [24a] is fastened to the base.

In regard to claim 16, Takano teaches in [Fig. 3] that the at least one elastic bar is shaped in an arcuate or undulating configuration.

In regard to claim 18, Takano teaches in [Fig. 2] that the actuating button is positioned on the membrane.

In regard to claim 19, Takano teaches in [Fig. 2] that the actuating button is positioned in the membrane.

In regard to claim 20, Takano and Katsumi teach the claimed invention except for integrally molding the elastic bar with the housing body. It would have been obvious to

one of ordinary skill in the art at the time the invention was made to integrally mold the elastic bar with the housing body, since it has been held that forming in one piece an article which has formerly been formed in two pieces and put together involves only routine skill in the art. *Howard v. Detroit Stove Works*, 150 U.S. 164 (1893).

In regard to claim 21, Takano teaches in [Fig. 2] at least one protruding membrane support member [24a] is fastened to the at least one elastic bar.

In regard to claim 27, Takano teaches in [Fig. 2] that the radial projection comprises a circumferential shoulder [pointed to by 16].

In regard to claim 28, the method of forming the device is not germane to the issue of patentability of the device itself. Therefore, this limitation has not been given patentable weight.

In regard to claim 29, Takano teaches in [Figs. 1-3] an electrical appliance housing, comprising: a housing body [P,20,26] defining a switch-activation aperture; a rigid base [16] positioned within the switch-activation aperture; a flexible membrane [24] extending across the aperture and bonded to the housing body and the base to seal the aperture in a substantially liquid-tight manner, with the base exposed on an inner side of the membrane; and a manually manipulable actuating button [16] secured to the base and exposed on an outer side of the membrane, such that manual manipulation of the button resiliently flexes the membrane and moves the base, and at least one elastic bar [16c] securing the base to the housing body, the at least one elastic bar lying on an inner side of the membrane.

In regard to claims 30 and 31, Takano teaches in [Fig. 3] that the at least one elastic bar integrally extends from the housing body.

Claims 22 and 23 are rejected under 35 U.S.C. 103(a) as being unpatentable over Takano et al. [Takano hereinafter, US 5,382,767] in view of Katsumi [US 6,369,341] further in view of Buchan et al. [Buchan hereinafter, US 6,064,019].

In regard to claim 22, Takano teaches in [Fig. 1] a neck [18f]. Takano does not teach that the neck comprises at least one radial rib. Buchan teaches in [Fig. 2] that the neck [34] comprises at least one radial rib [22]. It would have been obvious to one of ordinary skill in the art at the time of the invention to provide a radial rib for secure attachment of the button to the housing.

In regard to claim 23, Takano teaches in [Fig. 1] a neck [18f]. Takano does not teach that the neck comprises at least one radial bead. Buchan teaches in [Fig. 2] that the neck [34] comprises at least one radial bead [22]. It would have been obvious to one of ordinary skill in the art at the time of the invention to provide a radial rib for secure attachment of the button to the housing.

Claims 32-35, 37 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hochgesang et al. [Hochgesang hereinafter, US 5,642,950] in view of Katsumi [US 6,369,341].

In regard to claim 32, Hochgesang teaches in [Fig. 1] an electrical appliance housing, comprising: a housing body [1,3] defining a mechanism-activation aperture; a soft plastic membrane [6 and col. 2, lines 39+] configured to seal the aperture; a base [4] bonded to the membrane; and an actuating button [9] fastened to the base, wherein the base is free of through-holes. Hochgesang does not teach a hard plastic housing body and base. Katsumi teaches in [Fig. 6] a hard plastic housing body [1] and base [23]. It would

have been obvious to one of ordinary skill in the art at the time of the invention to provide a hard plastic housing body and base in order to protect the switch components.

In regard to claim 33, Hochgesang teaches in [Fig. 1] at least one elastic bar [5] secures the base to the housing body.

In regard to claim 34, Hochgesang teaches in [Fig. 1] that the at least one elastic bar integrally extends from the housing body.

In regard to claim 35, Hochgesang and Katsumi teach the claimed invention except for integrally molding the elastic bar with the housing body. It would have been obvious to one of ordinary skill in the art at the time the invention was made to integrally mold the elastic bar with the housing body, since it has been held that forming in one piece an article which has formerly been formed in two pieces and put together involves only routine skill in the art. *Howard v. Detroit Stove Works*, 150 U.S. 164 (1893).

In regard to claim 37, Hochgesang teaches in [Fig. 1] that the housing body is bonded to the membrane.

In regard to claim 38, Hochgesang teaches in [Fig. 1] that at least one protruding membrane support member [8] is fastened to the base.

Allowable Subject Matter

Claims 3,6 11,17,24-26 and 36 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

In regard to claim 3, the references do not teach that the base is free of through-holes.

In regard to claim 6, the references do not teach that the actuating button protrudes beyond the membrane towards an outer side of the electrical appliance housing.

In regard to claim 11, the references do not teach that the edge section of the membrane comprises an annular projection, the annular projection comprising an end face configured to engage an underside of the actuating button.

In regard to claim 17, the references do not teach that the base is free from penetration by the actuating button.

In regard to claim 24, the references do not teach that the edge section of the membrane abuts against an edge section of the actuating button with a press-fit.

In regard to claim 25, the references do not teach that the recess and the section of the actuating button are shaped in a conical configuration. Claim 26 is dependent on claim 25.

In regard to claim 36, the references do not teach that the base comprises a radial projection.

Response to Arguments

Applicant's arguments with respect to claims 1 and 29 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to LHEIREN MAE A. ANGLO whose telephone number is (571)272-2730. The examiner can normally be reached on Monday to Friday 8:00 am to 4:00 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Elvin Enad can be reached on (571) 272-1990. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Elvin G Enad/
Supervisory Patent Examiner, Art Unit 2832

Lheiren Mae A. Anglo

/L. A. A./
Examiner, Art Unit 2832